







# REAR CONSOLE BOX


## COMPONENTS



## REMOVAL

### 1. REMOVE UPPER CONSOLE PANEL SUB-ASSEMBLY


- Pull the console panel sub-assembly upper upwards and disengage the 2 claws.
- Detach the 4 clips and remove the console panel.



- Remove the 4 screws and instrument panel cup holder.


### 2. REMOVE CONSOLE BOX POCKET

### 3. REMOVE CONSOLE BOX CARPET




### 4. REMOVE CONSOLE REAR END PANEL SUB-ASSEMBLY

- Pull up the console rear end panel sub-assembly in the direction indicated by the arrow to detach the 6 clips, and remove the console rear end panel.




- Remove the 4 screws and rear console box cup holder.



### 5. REMOVE REAR CONSOLE BOX SUB-ASSEMBLY

- Remove the 2 screws, 2 bolts and console box.



## DISASSEMBLY

1. REMOVE NO. 4 INSTRUMENT PANEL WIRE
2. REMOVE REAR POWER POINT SOCKET ASSEMBLY
3. REMOVE REAR POWER POINT SOCKET COVER
4. REMOVE REAR CONSOLE COMPARTMENT DOOR SUB-ASSEMBLY



### HINT:

While the console compartment door sub-assembly rear is part of the console box, it may be replaced on its own. Refer to the procedure below when removing it.

- (a) Remove the 4 screws and console compartment door.

### NOTICE:

If the screws are removed while the door is closed, the hinge spring may cause the screws to fly out. Because of this, be sure to remove the screws while the door is open.






## REASSEMBLY

1. INSTALL REAR CONSOLE COMPARTMENT DOOR SUB-ASSEMBLY
  - (a) Install the console compartment door with the 4 screws.
2. INSTALL REAR POWER POINT SOCKET COVER
3. INSTALL REAR POWER POINT SOCKET ASSEMBLY
4. INSTALL NO. 4 INSTRUMENT PANEL WIRE

## INSTALLATION

1. INSTALL REAR CONSOLE BOX SUB-ASSEMBLY
  - (a) Install the console box with the 2 screws and 2 bolts.
2. INSTALL CONSOLE REAR END PANEL SUB-ASSEMBLY
  - (a) Install the rear console box cup holder with the 4 screws.






(b) Attach the 6 clips to install the console rear end panel.


### 3. INSTALL CONSOLE BOX CARPET

### 4. INSTALL CONSOLE BOX POCKET



### 5. INSTALL UPPER CONSOLE PANEL SUB-ASSEMBLY

(a) Install the instrument panel cup holder with the 4 screws.



(b) Attach the 4 clips and 2 claws to install the console panel.