

Tank filled	gal/mi per tank	running mpg at fillup		Smoothed tank running MPG				cumulative gal/mi (mpg) l/100km	odometer	Temp	Notes	
		(tank)	(dash)	2	4	6	8				Since P&G (MPG)	l/km
6/21/09		(~47)										
6/28/09	6.83/389	(57.0)	50						1k		Purchase 6/16/09 09 Prius	
7/3/09	8.05/383	(47.6)	52	52.3		52.4					Tag 291 FX4	
7/10/09	7.85/412	(52.5)			53.7		53.7				No detailed record taken first 500 m	
7/15/09	6.97/405	(58.1)		55.3		54.9						
7/19/09	8.35/482	(57.7)	58.0		56.1		55.4					
7/22/09	5.38/301	(55.9)		56.9		55.9					– break in period	
7/26/09	9.65/487	(50.5)			55.7		55.7					
JJ09	53.05/2859	(53.9)	~54					53.05/2859 (53.9)	4k	70		
8/1/09	8.52/500	(58.7)	53	54.5		55.6		4.36 l/100km				
8/7/09	9.34/487	(52.1)	60.1		55.5		55.6					
8/13/09	5.83/371	(63.6)	60.3	56.5		55.6						
8/17/09	9.60/496	(51.7)	56.8		55.6		56.3					
8/24/09	10.14/587	(57.9)	59.5	54.8		56.9					Oil change (6k)	
8/30	6.97/442	(63.2)	60.7		58.2		57.5					
A09	50.40/2883	(57.2)	58.0					103.45/5742 (55.5)	7k	70+		
9/3	7.40/444	(60.0)	57.2	61.6		58.2		4.24 l/100km				
9/6	8.11/456	(56.2)	55.6		58.1		57.6					
(9/7	9.12/401	(44.0)	51.0**)								**Mt Washington-included in cumulative, tank not included in September	
9/13	9.04/482	(53.3)	57.0	54.6		57.0						
9/19	7.93/479	(60.4)	58.7		55.9		56.8					
9/21	7.81/421	(53.9)	57.3	57.2		56.5						
9/29	8.00/500	(62.5)	58.6		57.0		56.2					
S09	48.29/2782	(57.6)	57.1					151.29/8524 (56.3)	9.6k	70		
10/7	9.03/465	(51.5)	57.6	56.7		55.9		4.18 l/100km				
10/11	8.30/476	(57.3)	56.8		54.7		54.9					
10/18	7.09/341	(48.1)	53.6	52.6		53.8						
10/25	9.04/479	(53.0)	55.6		52.9		53.8					
11/2	7.36/430	(58.4)	55.6	55.6		53.8						
O09	40.82/2191	(53.7)	55.8					192.11/10,615 (55.2)	12k	50		
11/08	9.04/451	(49.9)	53.9		54.6		54.2	4.26 l/100km			“10k” servicing - oil change+ (at 12.5k)	
11/15	8.48/487	(57.4)	57.1	53.6		54.7						
11/17	8.18/473	(57.8)	59.2		54.8		55.1					
11/23	8.69/468	(53.9)	56.5	55.9		55.4						
11/29	8.03/483	(60.1)	55.9		55.9		54.5					
N09	42.42/2362	(55.7)	56.6					234.53/12,977 (55.3)	14.1k	55		
12/5	8.37/433	(51.7)	56.9	55.9		53.6		4.25 l/100km		35		
12/13	8.63/381	(44.1)	48.9		51.2		51.5			25		
12/19	7.75/387	(49.9)	51.0	46.6		49.3				20		
12/22	7.59/411	(54.2)	50.7		47.3		48.5			18		
12/26	8.10/342	(42.2)	50.3	48.2		47.7				20		
12/31	7.76/379	(48.8)	47.8		48.0		47.8			23		
D09	48.20/2333	(48.4)	51.1					282.73/15,310 (54.2)	17k	25		
1/6/10	7.73/360	(46.6)	47.7	47.7		47.9		4.34 l/100km		20		
1/13/10	7.12/337	(47.3)	50.3		47.8		48.4			20		
1/16/10	8.44/407	(48.2)	52.5	47.8		48.8				30		
1/21/10	7.51/386	(51.3)	50.3		49.7		49.8			30		
1/26	7.53/391	(51.9)	55.0	51.6		50.8				35	“15k service” oil change	
J10	38.33/1881	(49.0)	51.3					321.06/17,191 (53.5)	19k	25+		
2/1	8.40/382	(45.5)	49.9		51.8		51.2	4.40 l/100km		20		
2/7	6.22/364	(58.5)	53.5	52.0		51.6				25		
2/14	7.99/367	(45.9)	53.3		51.3		51.7			30	351.66/18,657 (53.1 mpg)	
2/19	8.11/446	(55.0)	57.0	50.5		51.8			20k	35	Started using P&G	
2/24	6.31/360	(57.1)	59.4		52.3		52.4			40		
2/27	6.10/311	(51.0)	50.9	54.1		53.0				35		
F10	43.13/2230	(51.7)	53.8					364.19/19,925 (53.2)	21k	30+	20.52/1117 (54.4)	4.32 l/100km
3/1	7.24/384	(53.0)	56.9		53.6		53.6	4.42 l/100km		35		
3/6	6.96/369	(53.0)	53.4	53.0		54.1				40		
3/8	5.21/342	(65.6)	59.9		54.7		55.1			45+		
3/14	6.90/324	(47.0)	56.2	56.3		56.1			22k	40		
3/20	5.86/341	(58.9)	59.3		57.4		56.7			50+		
3/21	7.38/428	(58.0)	58.3	58.5		57.2			23k	55		
3/26	5.47/334	(61.1)	59.2		56.9		56.8			50		
3/31	5.16/255	(49.4)	59.5	55.4		56.4				55		
M10	50.18/2777	(55.3)	58.1					424.37/22,702 (53.5)	23.5k	45+	70.70/3894 (55.1)	4.27 l/100km
4/4	7.89/435	(55.1)	60.1		55.9		57.1	4.40 l/100km		60		
4/10	8.44/484	(57.3)	58.5	56.3		57.6			24k	55		
4/16	5.41/383	(70.8)	62.8		59.3		59.1			55		
4/23	7.15/384	(53.7)	63.5	62.3		60.5			25k	50+		
4/30	8.30/460	(55.4)	61.0		61.6		60.4			55		
A10	37.19/2146	(57.7)	61.2					461.56/24,848 (53.8)	25.5k	55	107.89/6040 (56.0)	4.20 l/100km
5/3	6.60/438	(66.4)	62.5	60.9		60.2		4.37 l/100km	26k	55		
5/7	9.02/514	(57.0)	60.3		58.9		60.5			55		
5/13	7.17/407	(56.8)	60.4	56.9		60.8			27k	50		
5/19	6.16/426	(69.2)	68.1		62.7		63.2			55		

5/27	7.24/493	(68.1)	67.9	68.5	65.5			28k	70			p 135
5/31	6.61/438	(66.2)	68.9		68.4	66.1	500 gal/27.4k		70			p 131
M10	42.8/2716	(63.5)	64.3				504.36/27.564 (54.7)	28.5k	60	150.69/8756 (58.1)	4.05 l/100km	
6/8	6.20/435	(70.2)	71.4	68.2		66.6	4.30 l/100km		70			p 165
6/12	8.59/491	(57.2)	59.9		64.7	65.5		29k	60			p 123
6/20	6.73/448	(66.6)	68.0	61.3		64.4			70			p 160
6/25	6.70/480	(71.6)	69.9		64.5	64.2		30k	70			p 160
6/30	4.76/309	(64.9)	70.8	68.0		63.9	1 year 30k mi/50k km		70			p 130
J10	32.98/2163	(65.6)	66.2				537.34/29,727 (55.3)	30.5k	70	183.67/10,919 (59.4)	3.96 l/100km	
7/8	10.44/583	(56.8)	62.5		63.3	63.3	4.25 l/100km	31k	80	Severe AC		p 150
7/13	8.44/526	(62.3)	62.1	58.7		62.6			75	Moderate AC		p 179
J110	18.88/1109	(58.7)	62.3				556.22/30,836 (55.4)	31.5k	80	202.55/12,028 (59.4)	3.96 l/100km	
8/12	9.20/610	(66.3)	68.4		61.8	63.7	4.25 l/100km	32k	75	Light AC		p 160
8/17	7.70/486	(63.1)	62.8	64.9		64.8			75	Moderate AC Hw		p 168
8/26	7.42/481	(64.8)	66.4		67.8	66.1		33k	70			p 153
8/31	4.72/373	(79.0)	71.8	70.3		67.3			70			p 151
A10	29.04/1950	(67.1)	66.5				585.26/32,786 (56.0)	33.5k	75	255.91/15,555 (60.8)	3.90 l/100km	
9/8	5.96/394	(66.1)	70.5		66.7	65.9	4.20 l/100km		70			p 112
9/14	7.61/462	(60.7)	63.2	63.1		64.1			60	Hw rain		p 92
9/20	8.63/512	(59.3)	65.4	59.9	61.5	64.1			55			p 93
9/26	5.98/363	(60.7)	69.9	59.9		64.0		35k	70			p 147
9/31	2.86/256	(89.5)	65.4	73.4	66.7	64.5	(59.2) 61.1 since 1/1/10		65			p 157
S10	31.04/1987	(64.0)	66.3				616.30/34,773 (56.4)	35.5k	65	286.95/17,542 (61.1)	3.85 l/100km	
10/09	6.20/409	(66.0)	65.4	73.4	62.5	64.4	4.17 l/100km		55			p 57
10/14	8.77/476	(54.3)	62.4	51.6	62.2	59.0		36k	45			
10/17	8.02/391	(48.8)	49.6	51.3	55.5	58.7			45	HA, hwy, rain, T		p50
10/22	7.12/444	(62.4)	60.3	59.4	55.3	57.8		37k	40			p120
10/28	6.96/392	(56.3)	62.9	59.4	58.2	56.3			55			p50
10/31	2.54/158	(62.2)	62.1	57.0	57.3	57.6			55			p70
O10	39.61/2270	(57.3)	59.3				655.91/37,043 (56.5)	37.8k	50+	326.56/19,812 (60.7)	3.90 l/100km	
11/6	6.40/332	(51.8)	59.8	55.1	57.1	56.7	4.16 l/100km	38k	35			p50
11/13	7.00/407	(58.1)	57.5	57.1	56.1	56.9			35-40			p90
11/15	7.24/406	(56.1)	59.5	57.1	56.8	56.3			35-40	Hw		P55
11/21	6.51/379	(58.2)	57.4	56.4	56.5	56.0		39k	40			
11/26	6.70/367	(54.8)	56.8	56.5	55.2	55.5			35-40	Hw		p60
11/30	7.28/395	(54.2)	57.0	54.0	54.4	54.1		40k	30	Hw		p65
N10	41.13/2286	(55.6)	57.5		4.23 l/100k		697.04/39,329 (56.4)	40k	35+	367.69/22,098 (60.1)	3.95 l/100km	
12/07	6.97/374	(53.7)	59.3	54.0	53.0	53.9	4.17 l/100km					
12/14	7.72/402	(52.0)	56.1	52.0	53.4	53.8			25-30			
12/16	7.78/404	(51.9)	55.0	51.9	54.7	53.6		41k	25			
12/23	7.60/424	(55.8)	54.9	57.4	53.8	55.7			25-30			p58
12/30	6.03/356	(59.0)	52.8	57.4	56.2	54.5		42k	20-25			p79
D10	36.10/1960	(54.3)	56.5		4.33 l/100k		733.14/41,289 (56.3)	42k	25+	403.79/24,058 (59.6)	3.97 l/100km	
1/5	6.96/342	(49.1)	62.2	54.8	56.1	55.5	4.18 l/100km		30	started grille block		p48
1/11	6.12/370	(60.5)	60.2	54.9	54.7	55.4			25			p69
1/15	5.42/284	(52.4)	54.2	54.6	54.7	53.8		43k	20	snow driving		p51
1/20	6.33/359	(56.7)	53.1	54.5	52.8	54.0			20	snow driving		p70
1/23	7.10/333	(46.9)	52.1	51.3	53.3	50.9			15	snow driving, hwy		p35
1/27	5.95/331	(55.6)	52.0	51.1	48.9	51.3			10	snow driving		p4
1/31	4.45/201	(45.1)	58.2	46.6	49.0	49.4		44k	20	snow driving		p39
J11	42.33/2220	(52.4)	54.5		4.49 l/100k		775.47/43,509 (56.1)	44k	20	446.12/26,278 (58.9)	3.99 l/100km	
2/6	6.62/319	(48.2)	53.5	46.9	50.5	52.6	4.19 l/100km		15	snow driving		p38
2/12	6.71/356	(53.1)	57.7	58.1	52.5	52.7			20	snow driving		p44
2/18	6.36/401	(63.1)	64.0	58.1	56.5	56.1		45k	30-35	tank bladder issues		p76
2/19	6.54/341	(52.1)	53.7	54.9	56.5	56.5			30			p47
2/24	5.32/307	(57.7)	59.1	54.9	56.5	58.0		46k	25			p39
2/28	5.69/320	(56.2)	59.2	58.1	56.6	58.3			25-30			p58
F11	37.24/2044	(54.9)	57.4		4.28 l/100k		812.71/45,553 (56.1)	46.5k	25+	483.36/28,484 (58.9)	3.99 l/100km	
3/5	5.61/337	(60.1)	62.4	58.1	59.9	58.2	4.19 l/100km		30			p60
3/10	5.32/322	(60.5)	63.9	61.7	59.9	60.5		47k	35			p72
3/14	5.78/363	(62.8)	63.6	61.7	61.1	60.9			40			p75
3/19	6.55/412	(62.9)	66.8	60.4	61.1	60.1			40-45			p68
3/24	6.10/353	(57.9)	59.0	60.4	59.1	61.6		48k	35			p59
3/30	7.27/419	(57.6)	63.0	57.8	61.0	59.6			35			p55
M11	36.63/2206	(60.2)	61.4		3.93 l/100k		849.34/47,759 (56.2)	48.5k	35+	519.99/30,690 (59.0)	3.98 l/100km	
4/3	4.81/316	(65.7)	65.0	61.6	60.1	61.2	4.19 l/100km		40	snow driving		p92
4/9	6.76/406	(60.1)	67.3	62.4	61.4	62.3		49k	45			p86
4/14	7.45/464	(62.3)	64.1	61.2	64.4	62.2			55			p166
4/20	5.50/396	(72.0)	68.4	66.4	62.9	64.0			45-50			p102
4/23	8.24/490	(59.5)	59.2	64.5	63.6	64.4		50k	45	hwy, rain		p129
4/27	6.30/392	(62.2)	64.5	60.7	66.0	64.3		51k	50	hwy		p112
4/30	3.20/252	(78.8)	70.5	67.8	65.0	65.4			55			
A11	42.26/2716	(64.3)	65.2		3.73 l/100k		888.40/50,223 (56.5)		45+	559.05/33,154 (59.3)	3.97 l/100km	
5/6	5.75/367	(63.8)	69.0	69.2	64.8	67.6	4.16 l/100km		50			p102
5/11	5.72/343	(60.0)	71.5	61.9	68.2	63.9		52k	50			p100
5/15	6.01/445	(74.0)	68.2	67.2	63.0	66.5			55	hwy, rain		p118
5/20	8.23/444	(53.9)	61.5	64.0	64.8	66.0			55	hwy, rain		p98

5/26	6.50/460	(70.7)	73.4	62.3	68.8	65.5	67.1		53k	60	remove lower block	p179
5/31	6.62/505	(76.3)	68.3	73.6	66.2	68.2	66.2			70	HA	p169
M11	38.83/2564	(66.0)	68.6		3.56 l/100km			927.23/52,787	(56.9)	55+	597.92/35,718 (59.7)	3.94 l/100km
6/4	5.95/387	(65.0)	69.2	70.2	67.7	66.9	67.4	4.13 l/100km				
6/11	8.45/503	(59.5)	69.3	62.1	67.5	66.6	66.1					
6/18	7.50/525	(70.0)	69.5	64.8	65.5	65.7	65.7					
6/23	7.42/502	(67.7)	65.8	68.9	63.9	65.7	65.0					
6/27	7.45/433	(58.1)	63?	62.9	65.9	64.2	65.8					
6/30	4.31/307	(71.2)	73.3	62.9	64.5	66.0	64.8					
J11	41.08/2657	(64.7)	68.9		3.69 l/100km			968.31/55,444	(57.2)		639.00/38,375 (60.1)	3.91 l/100km
7/5	6.04/377	(62.4)	67.3	66.1	66.0	65.5	65.8	4.11 l/100km		70		
7/15	7.37/548	(74.4)	72.2	69.0	66.4	65.6	66.3			75		
7/30	6.84/400	(58.5)	62.2	66.7	65.1	66.1	65.7			85	HA, max AC	
J111	20.21/1325	(65.6)	67.0		3.60 l/100km			988.52/56,769	(57.4)	75	659.21/39,700 (60.2)	3.91 l/100km
8/2	6.10/392	(64.3)	63.9	61.2	65.7	65.7	66.2	4.10 l/100km		80	Hwy	p182
8/11	6.75/438	(64.9)	73.5	64.7	66.2	66.2	66.2		59k	70	low tires	p162
8/17	6.09/476	(78.2)	71.1	71.2	66.8	66.7	66.1	1000 gal/57,500 second 500 gal: 60mpg		70		p179
8/24	5.69/335	(58.9)	67.2	68.8	67.3	66.0				75	Michelin Primacy tires (60k oil)	p135
8/31	5.70/387	(67.9)	67.1	63.4	65.2					65		p157
A11	30.33/2028	(66.9)	69.0		3.45 l/100km			1018.85/58,797	(57.7)	70	689.54/41,728 (60.5)	3.90 l/100km
9/4	5.17/288	(55.7)	55.4	62.1				4.08 l/100km	60k	65	Hwy, max AC	p129 p117